

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4392	(aluminum or al) near10 (source near electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:36
L2	283390	"345"/	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:37
L3	139	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:37
L4	1	10/821932	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L5	1486	(345/92).CCLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L6	3897	(345/204).CCLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L7	34221	capacitor\$1 near5 integrated	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L8	0	L6 same L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L9	29	L6 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L10	14858	capacitor near5 wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L11	23214	tft near10 LCD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L12	132	L10 and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L13	29	"6362507"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L14	34	"6522319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L15	17	"6597413"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L16	17	"6597413"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L17	2305619	capacitor\$1 near "10" wire \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L18	32648	(exterior or external) near10 circuit\$1 near10 connection\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L19	14526	L17 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L20	5054	L17 same L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L21	346668	"same" near5 (substrate\$1 or film\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L22	2608	L17 and L18 and L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L23	51	L17 same L18 same L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L24	23	"6521913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L25	0	2004/0245551	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L26	2	10/826362	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L27	1703	(349/149).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L28	174266	capacitor near10 (wire\$1 or connection\$1 or lead\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L29	120	L27 and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40

L30	317716	(capacit\$3) near10 (wire\$1 or connection\$1 or lead\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L31	425	(349/151).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L32	609	(349/152).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L33	0	("2and6and7").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L34	90	L27 and L31 and L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L35	2218	L27 or L31 or L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L36	187	L28 and L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L37	0	multi\$5 near20 layer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L38	385254	multi\$3 near20 layer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L39	14858	capacitor near5 wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L40	1166	L38 and L39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L41	126	L38 same L39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L42	174266	capacitor near10 (wire\$1 or connection\$1 or lead\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L43	1286	L38 same L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L44	531	L38 near20 L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L45	0	lattice near20 pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L46	14762	lattice near20 pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L47	0	L44 same L46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L48	3	L44 and L46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L49	929	lattice same capacitor\$1 near10 (line\$1 or lead\$1 or wireless or electrode\$1 or connection\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40

L50	14	"6340998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L51	177893	(capacitor or capacitance) near20 (wire\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L52	11386	lattice near5 pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L53	780	L51 AND L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L54	46	L51 same L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L55	1802180	(film near10 adjust\$3) height	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L56	2025	(film near10 adjust\$3) same height	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L57	37	L56 same capacitor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L58	12	"5861928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L59	370	(349/111).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40

L60	14858	capacitor near5 wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L61	89	(angular or triangl\$3) same L60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L62	1211	(angular or triangl\$3) same L51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L63	3562347	exterior or outside	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L64	3268558	terminal or socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L65	690444	L63 and L64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L66	252930	L63 same L64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L67	124843	L63 with L64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L68	13887	L63 near L64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L69	376935	lcd or "electro optic" or electro-optic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L70	30223	(periperal or edge) near substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L71	80	L67 and L68 and L70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L72	6	"6577371"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L73	7	("5563727" "5652667" "5744820").PN. OR ("6577371").UPFN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/16 15:40
L74	5344	(345/94,204,206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L75	2841	(349/111,122,138).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L76	1703	(349/149).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L77	1	10/821932	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L78	1486	(345/92).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L79	3897	(345/204).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L80	34221	capacitor\$1 near5 integrated	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L81	0	L79 same L80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L82	29	L79 and L80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L83	14858	capacitor near5 wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L84	23214	1ft near10 LCD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L85	132	L83 and L84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L86	29	"6362507"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L87	34	"6522319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L88	17	"6597413"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L89	17	"6597413"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L90	2305619	capacitor\$1 near "10" wire \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L91	32648	(exterior or external) near10 circuit\$1 near10 connection\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L92	14526	L90 and L91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L93	5054	L90 same L91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L94	346668	"same" near5 (substrate\$1 or film\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L95	2608	L90 and L91 and L94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L96	51	L90 same L91 same L94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L97	23	"6521913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L98	0	2004/0245551	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L99	2	10/826362	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L100	1703	(349/149).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L101	174266	capacitor near10 (wire\$1 or connection\$1 or lead\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40

L102	120	L100 and L101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L103	317716	(capacit\$3) near10 (wire\$1 or connection\$1 or lead\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L104	425	(349/151).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L105	609	(349/152).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L106	0	("2and6and7").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L107	90	L100 and L104 and L105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L108	2218	L100 or L104 or L105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L109	187	L101 and L108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L110	0	multi\$5 near20 layer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L111	385254	multi\$3 near20 layer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L112	14858	capacitor near5 wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L113	1166	L111 and L112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L114	126	L111 same L112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L115	174266	capacitor near10 (wire\$1 or connection\$1 or lead\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L116	1286	L111 same L115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L117	531	L111 near20 L115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L118	0	lattice near20 pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L119	14762	lattice near20 pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L120	0	L117 same L119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L121	3	L117 and L119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L122	929	lattice same capacitor\$1 near10 (line\$1 or lead\$1 or wireless or electrode\$1 or connection\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L123	14	"6340998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L124	177893	(capacitor or capacitance) near20 (wire\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L125	11386	lattice near5 pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L126	780	L124 AND L125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L127	46	L124 same L125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L128	1802180	(film near10 adjust\$3) height	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L129	2025	(film near10 adjust\$3) same height	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L130	37	L129 same capacitor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L131	12	"5861928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L132	370	(349/111).OCLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L133	14858	capacitor near5 wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L134	89	(angular or triangl\$3) same L133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L135	1211	(angular or triangl\$3) same L124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L136	3562347	exterior or outside	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L137	3268558	terminal or socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L138	690444	L136 and L137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L139	252930	L136 same L137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L140	124843	L136 with L137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L141	13887	L136 near L137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L142	376935	lcd or "electro optic" or electro-optic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L143	30223	(peripheral or edge) near substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L144	80	L140 and L141 and L143	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L145	6	"6577371"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L146	7	("5563727" "5652667" "5744820").PN. OR ("6577371").URFN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/16 15:40
L147	5344	(345/94,204,206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L148	2841	(349/111,122,138).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L149	1703	(349/149).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/16 15:40
L150	0	("(scan near line) same (capacitor near (line wire trace))").PN.	USPAT; USOCR	OR	OFF	2008/10/16 15:40
L151	284	(scan near line) same (capacitor near (line wire trace))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L152	246228	"same" near material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40
L153	39	L151 and L152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:40

L154	237	(masao near murade).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/16 15:46
------	-----	--------------------------	---	----	----	---------------------

10/16/2008 3:46:54 PM

C:\Documents and Settings\cma\My Documents\EAST\Workspaces\1932.wsp